

22" FULL HD FRAMELESS LED COLOUR MONITOR

24/7/365 Operating Capability



The 21.5" frameless LED monitor is designed to excel in 24/7 video surveillance applications. Delivering full HD resolution and 16.7 million colours, the monitor displays every detail with precision, while dual HDMI and VGA inputs, source auto detection and quick touch scalability help to ensure easy installation. Offering exceptional value with uncompromising quality and reliability, this monitor is an excellent choice for any video surveillance application.

FEATURES

- 21.5" Diagonal Viewing Size
- 1920x1080P Full HD Resolution
- Frameless Design
- 178° Ultra-wide Viewing Angle
- Source Auto Detection
- Low Blue Light Technology
- Quick Touch Scalability 16:9/4:3
- VGA and HDMI Inputs
- Includes VGA, Audio and Dual Power Cable (EU, UK)
- Part #: CAP-22VGHDMI3-P
- UPC: 840049310933
- Length: 19.3" / 490.2mm
- Width: 8.6" / 218.4mm
- Height: 14.1" / 358.1mm
- Weight: 4.85 lbs. / 2.2kg
- UL Listing



MONITEUR COULEUR DE 22 PO À DEL HD INTÉGRALE SANS CADRE

Capacité de fonctionnement 24/7/365



Le moniteur à DEL sans cadre de 21.5 po est parfait pour les applications de vidéosurveillance en permanence. Grâce à une résolution HD intégrale et à ses 16,7 millions de couleurs, ce moniteur saura afficher tous les détails avec précision. De plus, il est doté d'entrées doubles HDMI et VGA et de fonctionnalités de détection automatique de la source et de mise à l'échelle pour assurer une installation facile. Il offre une valeur exceptionnelle, sans compromis sur la qualité et la fiabilité. Il s'agit d'un excellent choix pour toute application de vidéosurveillance.

CARACTÉRISTIQUES

- Dimensions d'achage diagonales de 21.5 po
- Résolution Full HD 1920x1080 p
- Design sans cadre
- Grand angle de vue de 178°
- Détection automatique de la source
- Technologie à faible lumière bleue
- Mise à l'échelle Quick Touch 16:9/4:3
- Entrées VGA et HDMI
- Comprend des câbles audio, VGA et Câble d'alimentation (EU, UK)
- N° de pièce: CAP-22VGHDMI3-P
- UPC: 840049310933
- Longueur: 19,3 po / 490.2mm
- Largeur: 8,6 po / 218.4mm
- Hauteur: 14,1 po / 358.1mm
- Poids: 4,85 lb / 2.2kg
- Homologué UL



Model	CAP-22VGHDMI3-P
Screen Diagonal Dimension (inches)	21.5"
Viewable Area W x H (inches)	18.8" x 10.2"
LED Type	Edge LED
Pixel Pitch (mm)	0.2493mm x 0.241mm
Screen Maximum Resolution	1920x1080
Display Resolutions	720x400; 640x480; 800x600; 1024x768; 1280x1024; 1366x768; 1920x1080
Supported Input Resolutions	720x400; 640x480; 800x600; 1024x768; 1280x1024; 1366x768; 1920x1080
Refresh Rate (hertz)	75Hz
Colour Depth (millions)	16.7 million colours
Brightness (cd/m ²)	250 cd/m ²
Auto Adjust	Yes
Monitor Aspect Ratio	16:9
Display Aspect Ratio	OSD options: Full/4:3/Over Scan
Horizontal TV Lines	1080
Contrast Ratio	4000:1SCR
Response Time (ms)	5 ms (GTG)
View Angle H/V (degrees)	178° x 178°/CR>10
Digital Video Inputs	HDMI up to 1920x1080
Analog Video In/Out	VGA up to 1920x1080
Audio Inputs (stereo)	1 x 3.5mm mini-jack
Speakers (watts)	2 x 2 watts
Stand-by (watts)	<0.5 watt
Power Consumption (watts)	16 watts typical
Monitor Body Dimensions	19.3" x 1.5" x 11" (490.2mm x 38.1mm x 279.4mm)
Dimensions Monitor+Stand	19.3" x 14.1" x 8.6" (490.2mm x 358.1mm x 218.4mm)
Panel Surface	Matte black
Case and Stand Material	Plastic
VESA Mounting Pattern (mm)	100mm x 100mm
Base/Stand Included	Yes
Base Tilt Angle	-5°-15°
Weight Cabinet Only	4.08 lbs. (1.85kg)
Weight Cabinet+Base Stand	4.85 lbs. (2.2kg)
Power Supply (internal)	AC 100-240V-50/60Hz 1.1A
Operating Temperature	0°C-40°C / 32°F-104°F
Storage Temperature	-20°C-50°C / -4°F-122°F
Operating Humidity	10-90%
Accessories Included in the Box	Dual Power Cable (EU, UK)/VGA cable/Audio cable/Stand support/Screws/ Base of stand/User manuals
Rack Mount Screw Size (mm)	Screw for Mounting Monitor, Screws Type: M4-L8 mm/4pcs
Certifications	CE/FCC/RoHS/HDMI/UL/WEEE/REACH/UKCA
Warranty	36 Months

FOR MORE INFORMATION, CONTACT YOUR ADI SALES PERSON.